

ASSIGNMENT 9

Textbook Assignment: "Supply Support," chapter 9, pages 9-1 through 9-20.

-
- | | |
|---|--|
| <p>9-1. For validations and reference purposes on NALCOMIS input transactions, output reports, and screen displays, what type of data elements are used?</p> <ol style="list-style-type: none">1. Abbreviated2. Laminated3. Dynamic4. Static <p>9-2. Dynamic data elements are added to NALCOMIS records in which of the following ways?</p> <ol style="list-style-type: none">1. By personnel downloading the change notice tapes only2. By the supply officer during initial installation of the system only3. By the system coordinator on a monthly basis only4. By all authorized personnel during normal operations and on-line transaction processing <p>9-3. In NALCOMIS, a password is processed in such a way that the system recognizes what information about the user?</p> <ol style="list-style-type: none">1. The user's organization2. The user's work center3. The user's special maintenance qualifications4. All of the above <p>9-4. An AK assigned to ASD/SSC must follow the aviation maintenance policies and procedures outlined in which of the following publications?</p> <ol style="list-style-type: none">1. The NAMP manual2. The AVDLR3. The MILSTAMP4. The NAVOSH manual <p>9-5. The meetings between supply and maintenance representatives to discuss high priority requisitions should be held at least how often?</p> <ol style="list-style-type: none">1. Annually2. Quarterly3. Monthly4. Weekly | <p>9-6. Which of the following items is NOT a special material management program?</p> <ol style="list-style-type: none">1. AVDLR2. ATAC DLR3. IRIM4. DBOF <p>9-7. Under the fixed allowance concept, additions to the allowance must be authorized by what activity?</p> <ol style="list-style-type: none">1. IMA2. ICP3. FISC4. NAS <p>9-8. Unless otherwise authorized, requisitions for AVDLR items should NOT be passed off-station before the defective turn-in item is in what status?</p> <ol style="list-style-type: none">1. AWP2. EXREP3. BCM4. RFI <p>9-9. Requisitions for AVDLR items may be passed off-station if the NSN of the item is contained in what listing?</p> <ol style="list-style-type: none">1. The IMRL2. The CRIPL3. The NMCS/PMCS4. The ML-C <p>9-10. What fund is used to finance AVDLR items?</p> <ol style="list-style-type: none">1. IRIM2. OSI3. DBOF4. LRCA <p>9-11. As compared to other programs, the AVDLR program provides which of the following advantages?</p> <ol style="list-style-type: none">1. Reduced back orders2. Improved financial flexibility3. Improved aircraft readiness4. All of the above <p>9-12. What Record Type code identifies material issues?</p> <ol style="list-style-type: none">1. 602. 613. 624. 63 |
|---|--|

- 9-13. What Record Type code identifies RFI components received from AIMD?
1. 60
 2. 61
 3. 62
 4. 63
- 9-14. What Record Type code identifies NRFI components received from AIMD?
1. 60
 2. 61
 3. 62
 4. 63
- 9-15. What material report is produced in Work Unit Code sequence and contains information on AVDLR items?
1. The MR-1-1
 2. The MR-1-2
 3. The MR-2-1
 4. The MR-2-2
- 9-16. Which of the following reports is used to review the usage data of consumable items so that stock levels may be set?
1. MR-1-1
 2. MR-2-1
 3. MR-1-2
 4. MR-1-3
- 9-17. Which of the following functions is NOT the responsibility of an ASD/SSC?
1. Receiving requisitions for material in support of weapons systems maintenance
 2. Delivering material to customers
 3. Maintaining LRCA storage areas
 4. Expediting requisitions for wholesale stock replenishment
- 9-18. The operating hours of an ASD/SSC must be the same as which of the following activities?
1. The local AIMD only
 2. The NADEP only
 3. The squadron(s) only
 4. All maintenance organizations being supported
- 9-19. In reference to response standards, the response time starts when what event occurs?
1. When maintenance discovers the need for the material
 2. When the requirement is placed in the ASD/SSC
 3. When the customer receives the supply status
 4. When the material is delivered to the customer
- 9-20. In reference to response standards, the response time stops when what event occurs?
1. When maintenance completes the installation of the item
 2. When the issue transaction is posted in the stock records
 3. When the material or status is received by the customer
 4. When the material is ready for delivery
- 9-21. The NALCOMIS Issue Response Time Analysis Report can be printed by the use of what Conversation code?
1. N601
 2. N661
 3. N681
 4. N692
- 9-22. The supporting ASD/SSC should provide the NMCS/PMCS listing to supported units at least how often?
1. Hourly
 2. Daily
 3. Weekly
 4. Monthly
- 9-23. What report is produced by NALCOMIS activities using NALCOMIS Conversation code N696?
1. The AWP Repair Parts Status Report
 2. The Pickup Status Report
 3. The EXREP Report
 4. The NMCS/PMCS/High Priority Report
- 9-24. NALCOMIS Conversation code N694 can be used to produce what report?
1. The Pickup Status Report
 2. The EXREP Report
 3. The AWP Repair Parts Status Report
 4. The NMCS/PMCS/High Priority Report

- 9-25. What document contains the repair capability data on repairable items previously processed by the IMA?
1. The CRIPL
 2. The R-POOL
 3. The SFOEDL
 4. The ICRL
- 9-26. What NALCOMIS Conversation code is used to update information on ICRL records?
1. N603
 2. N601
 3. N202
 4. N201
- 9-27. In an aviation community, what area serves as the point of contact for the supplies and services needed to support aircraft maintenance?
1. SERVMART
 2. ASI)/SSC
 3. AIMD
 4. NADEP
- 9-28. The ASD/SSC organization is composed of what sections?
1. Planning, supply response, and component control
 2. Material delivery, component control, and inventory control
 3. Supply response and component control
 4. Programs management and supply response
- 9-29. The supply response section of the ASD/SSC consists of how many units?
1. Seven
 2. Six
 3. Five
 4. Four
- 9-30. The programs management unit is directly under what supply department section or unit?
1. TRU
 2. SRS
 3. SSU
 4. CCS
- 9-31. To record the return of items from customers that are to be processed as D6A, the RCU uses what Conversation code?
1. N601
 2. N602
 3. N604
 4. N618
- 9-32. What SRS unit is responsible for material pickup and delivery to and from supported units?
1. SSU
 2. MDU
 3. SLU
 4. PMU
- 9-33. When MDU delivers an AVDLR item to the squadron, what data in the requisition informs MDU that an immediate turn-in will NOT be available for pickup?
1. Exchange Advice code (5G)
 2. Project code ZA9
 3. Project code AKO
 4. Fund code Y6
- 9-34. Which of the following forms is used by NALCOMIS activities as an issue document?
1. DD Form 1149
 2. Standard Form 44
 3. DD Form 1348-1
 4. DD Form 1348-6
- 9-35. What SRS unit is responsible for managing high usage consumable items that have been expended from the supply records?
1. SLU
 2. TRU
 3. PMU
 4. PEB
- 9-36. Items subject to pilferage should be stored in the PEB in what manner?
1. In open bins for easy access to customers
 2. In an enclosure accessible only to authorized personnel
 3. In an enclosure accessible to all customers
 4. In a Confidential storeroom
- 9-37. To be included in the PEB, an item must be maintenance related and have what minimum demand frequency per month?
1. One
 2. Two
 3. Three
 4. Four

- 9-38. The quantity of each PEB item should NOT exceed an estimated supply that will last more than what maximum period of time?
1. 1 month
 2. 2 months
 3. 3 months
 4. 4 months
- 9-39. As a minimum, a PEB item should be purged if it had no demand for what total number of months?
1. 10 months
 2. 12 months
 3. 14 months
 4. 18 months
- 9-40. Continuous reconciliation of outstanding high priority requisitions between supply and maintenance activities is the responsibility of what SRS unit?
1. PMU
 2. SSU
 3. SLU
 4. TRU
- 9-41. During NALCOMIS processing procedures, TRU does NOT see the requisition until after which of the following events?
1. An issue is made
 2. An EXREP turn-in notice is generated
 3. An exception is processed or a problem occurs
 4. Each of the above
- 9-42. When an item is delivered by MDU to the customer, what NALCOMIS Conversation code is used to process the proof of delivery document?
1. N601
 2. N614
 3. N615
 4. N617
- 9-43. If a receipt document was processed on Conversation code N613 but NOT completed on N615, the requisition number of the receipt document will appear in what report?
1. The DTO-ROB Report
 2. The Job Order Number Report
 3. The TD Configuration Report
 4. The EXREP Report
- 9-44. Cancellation requests for issue groups 1 and 2 requisitions that were passed off-station are processed by what ASD/SSC unit?
1. SLU
 2. SSU
 3. TRU
 4. PMU
- 9-45. Local Status codes can be updated by the use of what NALCOMIS Conversation code?
1. N604
 2. N608
 3. N609
 4. N610
- 9-46. What conversation code is used to update the supply system Status codes on requisitions in NALCOMIS?
1. N607
 2. N609
 3. N610
 4. N619
- 9-47. A requisition for an AVDLR item listed in the CRIPL can be passed off-station by the use of what Conversation code?
1. N608
 2. N609
 3. N610
 4. N613
- 9-48. What section of the supply department is responsible for performing inventory control over all repairable assets stored in the LRCA storage areas?
1. The packing section
 2. The supply response section
 3. The stock records section
 4. The component control section
- 9-49. To screen and induct the repairable items turned in by squadrons, ASD, or other external organizations, what Conversation code is used by AMSU?
1. N258
 2. N271
 3. N501
 4. N614
- 9-50. In NALCOMIS, the EXREP Status Report can be printed by the use of what Conversation code?
1. N621
 2. N631
 3. N643
 4. N651

- 9-51. When DCU receives an RFI item from IMA, what Conversation code do they use to generate an issue document?
1. N621
 2. N631
 3. N644
 4. N651
- 9-52. The procedures for the establishment of retail requirement levels for consumable and repairable items afloat are contained in what instruction?
1. OPNAVINST 4790.2
 2. NAVSUPINST 4440.115
 3. FASOINST 4440.15
 4. OPNAVINST 5510.1
- 9-53. What organization may authorize a redistribution of the OSI/fixed allowance assets of aviation items stocked by an activity?
1. NAS
 2. FISC
 3. ASO
 4. NAVSUP
- 9-54. Redistribution of the aviation OSI/fixed allowance assets of an activity can be ordered by an ICP to fill requisitions with what issue priority?
1. Priority 1
 2. Priority 2
 3. Priority 3
 4. Priority 4
- 9-55. What NAVSUP form is used to request changes in the fixed allowance of ASO managed items?
1. 766
 2. 801
 3. 1250
 4. 1375
- 9-56. When the constrained TAT is computed for allowances, what maximum time is allowed for AWP?
1. 10 days
 2. 15 days
 3. 20 days
 4. 30 days
- 9-57. What ASD/SSC unit is responsible for processing all repairable items returned from the IMA?
1. MDU
 2. PEB
 3. SSU
 4. SLU
- 9-58. What instruction contains information on the identification and disposition of repairable aircraft tires?
1. OPNAVINST 4790.2
 2. FASOINST 13490.3
 3. FASOINST 4440.15
 4. OPNAVINST 5510.1
- 9-59. Field level repairable items have an SM&R code that limits their restoration to RFI in what level of maintenance?
1. Organizational
 2. Intermediate
 3. Depot
 4. Contract support
- 9-60. The ASD/SSC is holding an EI/QDR exhibit awaiting disposition instructions. According to OPNAVINST 4790.2, what maximum number of days should ASD/SSC hold the exhibit before performing the next action?
1. 7 days
 2. 15 days
 3. 20 days
 4. 30 days
- 9-61. The material for an EI/QDR exhibit is assigned what Condition code?
1. A
 2. F
 3. L
 4. H
- 9-62. The shipping documents for material exhibits must be stamped with "EI"! or "QDR." What is the prescribed size of the lettering?
1. 1 in.
 2. 2 in.
 3. 3 in.
 4. 4 in.
- 9-63. What ASD/SSC unit is responsible for receiving, storing, and controlling all AWP components returned from IMA?
1. SLU
 2. DCU
 3. SSU
 4. AWP

9-64. For effective AWP management, what minimum standard accuracy rate of outstanding requisitions and requisition inventory records must be maintained through weekly reviews?

1. 85%
2. 95%
3. 98%
4. 100%

9-65. Supply and maintenance personnel must review the AWP when the number of components on hand exceeds what percent of the average monthly IMA inductions?

1. 25%
2. 20%
3. 15%
4. 10%

9-66. What form is used to request depot customer service?

1. DD Form 1348-1
2. OPNAV 4790/36A
3. DD Form 200
4. Standard Form 44